



APC 2



HANGERS

APC 1, APC 2, APC 3, APC 4, APC 6 LIVING SETTINGS



APC 1



APC 2



APC 3




APC 4



APC 6




APC 2




APC2 reliable by design, improved by innovation

- 2× higher corrosion resistance;
- maximum safety, minimal installation effort;
- enhanced technical performance with improved adjustability;
- new wall plate = higher performance and safety.


INSTALLATION UNDER THE CABINET TOP




INSTALLATION ON THE WALL



COVER CAP INSERTING





ADJUSTMENTS




Slots for cross PZ2 screwdriver


Slot for in-depth adjustment

Slot for vertical adjustment






DRILLING PLAN FOR APC 1 FIXED UNDER THE CABINET TOP
SIDE PANEL AND SERVICE GAP

BACK PANEL


APC cover cap Ø20



APC cover cap double hole Ø12



	= PZ2		= 100 pcs.
ZA	ST		
 			
65210080ZN			

APC 2 FIXING ACCESSORY


			= PZ2		= 5,000 pcs.
ST					
 					
60101410ZN					




APC 2 ACCESSORIES

WPC1 WALL BAR



Certificates available on request.





Suitable for service gap from 16 to 18 mm.



WPC2 WALL PLATE



Certificates available on request.





Suitable for service gap from 16 to 18 mm.



WPC110 WALL PLATE





Certificates available on request.





Suitable for service gap from 16 to 20 mm.



APC COVER CAP Ø20



APC COVER CAP DOUBLE HOLE Ø12








SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING
TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS
THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW
AND SPREADING BUSH



= SELF ADHESIVE



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS


ZA = Zinc Alloy	ST = Steel	HSS = High Speed Steel	BR = Brass	ABS = Acrylonitrile Butadiene Styrene	TPU = Thermoplastic Polyurethane
ZAnk = Nickel-plated Zinc Alloy	STzk = Zinc-plated Steel	AL = Aluminium	WD = Wood	EVA = Ethylene Vinyl Acetate	

EP = ENGINEERING PLASTIC	+ EP = other engineering plastic available on request	SR = SOFT RUBBER	+ SR = other soft rubber available on request
--	--	--------------------------------	--

EPn = Natural Engineering Plastic	EPc = Clear Engineering Plastic	SRn = Natural Soft Rubber
EPw = White Engineering Plastic	EPg = Grey Engineering Plastic	SRw = White Soft Rubber
EPb = Black Engineering Plastic	EPa = Anthracite Engineering Plastic	SRb = Black Soft Rubber

 FINISHES	+  = OTHER FINISHES AVAILABLE ON REQUEST
---	---

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IA	Grey	XD	Satin-finished Steel
AA	Natural	IF	Grey 7	XE	Inox
AB	White	IJ	Light Grey	YA	Nickel-plated
AE	White 9010	IL	Grey 20	YC	Matt Nickel-plated
EA	Black	IN	Grey met. 26	YD	Satin-finished Nickel-plated
EC	Matt Black	JG	Aluminium 5	YQ	Black Nickel
EE	Anthracite	JL	Aluminium PE 11	Z9	Black Zinc
EW	Grey 9007	JM	Aluminium RAL 9006	ZN	Zinc-plated
FQ	Beige 42	KB	Bright Chrome	ZQ	Bright Gold
FU	Gunmetal	KC	Matt Chrome	ZZ	Clear/Transparent
FV	Gunmetal V52	LD	Brown 8019		
GR	Zamak Raw	RO	Red		
HA	Brass-Plated	UT	T-Met 9007		
HH	Tropicalized	UZ	T-Met		
HL	Raw Brass	WA	Bronzed		
HX	Graphite	WI	Burnished		



www.italianaferramenta.com

ITALIANA FERRAMENTA SRL - Viale Europa 17 I - 33070 Brugnara (PN)
Tel. +39 0434 428211 Fax +39 0434 428242 E-mail: info@italianaferramenta.it